AUTHOR INDEX

Baker, Doran J., Computer-aided design of optimal infrared detector preamplifiers, 85
Brar, A. S., Cryogenically cooled detector system for spectroscopic applications of solid-state arrays, 14
Breckenridge, R. W., Refrigerators for cooling spaceborne sensors, 112
Bremer, James C., Baffle design for earth radiation rejection in the cryogenic limb-scanning interferometer/radiometer, 54
Buijs, H. L., Aspects of dynamically aligned Fourier transform spectrometer operation at cryogenic temperatures, 48
Chellis, Fred F., Introduction to closed cycle cryogenic coolers, an, 96
DeBell, Arthur G., Status of cryogenic refractive-index measurements, 164
Doody, R. D., High-capacity, spaceborne, Vuilleumier refrigerator, the, 108
Dybwad, J. P., Detailed design considerations for an advanced cryogenic Fourier transform spectrometer, 2
Esplin, Roy W., Predicting the focus of cryogenically-cooled optical systems, 158
Fantozzi, Louis R., Predicting the focus of cryogenically-cooled optical optical systems, 158
Fowler, A. M., Cryogenically cooled detector system for spectroscopic applications of solid-state arrays, 14
Frodsham, D. Gary, Computer-aided design of optimal infrared detector preamplifiers, 85
Gier, H. L., Preliminary cryogenic performance of the shuttle infrared telescope facility, 69
Haycock, Ralph H., Techniques for eliminating thermal-acoustical oscillation in cryogenic instrumentation, 143
Horn, Stuart B., Cryogenic cooling options for forward looking infrared (FLIR), 101
Huppi, Ronald J., Rocket-borne cryogenic interferometer spectrometer used for an artificial auroral measurement, 34
——, Predicting the focus of cryogenically-cooled optical systems, 158
Kemp, John C., Rocket-borne cryogenic interferometer spectrometer used for an artificial auroral measurement, 34
Khoshnevisan, M., Development of a cryogenic infrared acousto-optic tunable spectral filter, 63
Kosters, John J., Atmospheric emission spectra obtained from the equator to the South Pole, 43
Lange, Ronald A., Predicting the focus of cryogenically-cooled optical systems, 158
Laporte, D., Aspects of dynamically aligned Fourier transform spectrometer operation at cryogenic temperatures, 48
Logan, L. M., Detailed design considerations for an advanced cryogenic Fourier transform spectrometer (FTS), 2
——, Focal-plane optimization for detector noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, 77
McGuirk, M., Focal-plane optimization for detector noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, 77
Murcray, David G., Atmospheric emission spectra obtained from the equator to the South Pole, 43
Murdock, T., Infrared sensor designed to measure the diffuse zodiacal light, an, 9
Naes, L. G., Long-life orbital operation of Stirling cycle mechanical refrigerators, 126
Nast, T. C., Long-life orbital operation of Stirling cycle mechanical refrigerators, 126
Newman, P. R., Development of a cryogenic infrared acousto-optic tunable spectral filter, 63
Norman, Robert H., Long-duration cryogenic cooling with the reversed Brayton turbo-refrigerator, 120
Palmer, James M., Status of cryogenic refractive-index measurements, 164
Robinson, W. G., Cryogenically cooled detector system for spectroscopic applications of solid-state arrays, 14
Simmons, J. E., Cryogenically cooled detector system for spectroscopic applications of solid-state arrays, 14
Sovero, E., Development of a cryogenic infrared acousto-optic tunable spectral filter, 63
Stoll, Roy, Preliminary cryogenic performance of the shuttle infrared telescope facility, 69
Tandy, P., Infrared sensor designed to measure the diffuse zodiacal light, an, 9
Tracy, J., Development of a cryogenic infrared acousto-optic tunable spectral filter, 63
Vendell, Edward W., Supercritical helium cooling of optical sensors, 149
Walters, R., Infrared sensor designed to measure the diffuse zodiacal light, an, 9
Wapato, Paul G., Long-duration cryogenic cooling with the reversed Brayton turbo-refrigerator, 120
Wijntjes, Geert, Theoretical and practical aspects of cryogenic-multiplex spectroscopy, 138
Williams, Walter J., Atmospheric emission spectra obtained from the equator to the South Pole, 43
Wolfe, William L., Status of cryogenic refractive-index measurements, 164

SUBJECT INDEX

Acoustical oscillation in cryogenic instrumentation, techniques for eliminating thermal-, 143
Acousto-optic tunable spectral filter, development of a cryogenic infrared, 63
Advanced cryogenic Fourier transform spectrometer (FTS), detailed design considerations for an, 2
Aligned Fourier transform spectrometer operation at cryogenic temperatures, aspects of dynamically, 48
Arrays, cryogenically cooled detector system for spectroscopic applications of solid-state, 14
Artificial auroral measurement, rocket-borne cryogenic interferometer spectrometer used for an, 34
Aspects of dynamically aligned Fourier transform spectrometer operation at cryogenic temperatures, 48
Atmospheric emission spectra obtained from the equator to the South Pole, 43
Auroral measurement, rocket-borne cryogenic interferometer spectrometer used for an artificial, 34

Baffle design for earth radiation rejection in the cryogenic limb-scanning interferometer/radiometer, 54
Borne cryogenic interferometer spectrometer used for an artificial auroral measurement, rocket-, 34
Brayton turbo-refrigerator, long-duration cryogenic cooling with the reversed, 120

Capacity, spaceborne, Vuilleumier refrigerator, the high-, 108
Closed cycle cryogenic coolers, an introduction to, 96
Computer-aided design of optimal infrared detector preamplifiers, 85
Cooled detector system for spectroscopic applications of solid-state arrays, cryogenically, 14
Coolers, an introduction to closed cycle cryogenic, 96
Cooling of optical sensors, supercritical helium, 149
Cooling options for forward looking infrared (FLIR), cryogenic, 101
Cooling with the reversed Brayton turbo-refrigerator, long-duration cryogenic, 120
Cooling spaceborne sensors, refrigerators for, 112

Cryogenically cooled detector system for spectroscopic applications of solid-state arrays, 14
Cryogenically-cooled optical systems, predicting the focus of, 158
Cryogenic coolers, an introduction to closed cycle, 96
Cryogenic cooling options for forward looking infrared (FLIR), 101
Cryogenic cooling with the reversed Brayton turbo-refrigerator, long-duration, 120
Cryogenic Fourier transform spectrometer (FTS), detailed design considerations for an advanced, 2
Cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane optimization for detector noise limited performance in, 77
Cryogenic infrared acousto-optic tunable spectral filter, development of a, 63
Cryogenic instrumentation, techniques for eliminating thermal-acoustical oscillation in, 143
Cryogenic interferometer spectrometer used for an artificial auroral measurement, rocket-borne, 34
Cryogenic limb-scanning interferometer/radiometer, baffle design for earth radiation rejection in the, 54
Cryogenic-multiplex spectroscopy, theoretical and practical aspects of, 138
Cryogenic performance of the shuttle infrared telescope facility, preliminary, 69
Cryogenic refractive-index measurements, status of, 164
Cryogenic temperatures, aspects of dynamically aligned Fourier transform spectrometer operation at, 48
Cycle cryogenic coolers, an introduction to closed, 96

Design considerations for an advanced cryogenic Fourier transform spectrometer (FTS), detailed, 2
Design for earth radiation rejection in the cryogenic limb-scanning interferometer/radiometer, baffle, 54
Design of optimal infrared detector preamplifiers, computer-aided, 85
Detailed design considerations for an advanced cryogenic Fourier transform spectrometer (FTS), 2
Detector noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane optimization for, 77
Detector preamplifiers, computer-aided design of optimal infrared, 85
Detector system for spectroscopic applications of solid-state arrays, cryogenically cooled, 14
Development of a cryogenic infrared acousto-optic tunable spectral filter, 63
Diffuse zodiacal light, an infrared sensor designed to measure the, 9
Duration cryogenic cooling with the reversed Brayton turbo-refrigerator, long-, 120
Dynamically aligned Fourier transform spectrometer operation at cryogenic temperatures, aspects of, 48

Earth radiation rejection in the cryogenic limb-scanning interferometer/radiometer, baffle design for, 54
Eliminating thermal-acoustical oscillation in cryogenic instrumentation, techniques for, 143
Emission spectra obtained from the equator to the South Pole, atmospheric, 43
Equator to the South Pole, atmospheric emission spectra obtained from the, 43

(FLIR), cryogenic cooling options for forward looking infrared, 101
(FTS), detailed design considerations for an advanced cryogenic Fourier transform spectrometer, 2
(FTS) sensors, focal-plane optimization for detector noise limited performance in cryogenic Fourier transform spectrometer, 77
Facility, preliminary cryogenic performance of the shuttle infrared telescope, 69
Filter, development of a cryogenic infrared acousto-optic tunable spectral, 63
Focal-plane optimization for detector noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, 77
Focus of cryogenically-cooled optical systems, predicting the, 158
Forward looking infrared (FLIR), cryogenic cooling options for, 101
Fourier transform spectrometer (FTS), detailed design considerations for an advanced cryogenic, 2
Fourier transform spectrometer (FTS) sensors, focal-plane optimization for detector noise limited performance in cryogenic, 77
Fourier transform spectrometer operation at cryogenic temperatures, aspects of dynamically aligned, 48

Helium cooling of optical sensors, supercritical, 149
High-capacity, spaceborne, Vuilleumier refrigerator, the, 108

Index measurements, status of cryogenic refractive-, 164
Infrared acousto-optic tunable spectral filter, development of a cryogenic, 63
Infrared detector preamplifiers, computer-aided design of optimal, 85
Infrared (FLIR), cryogenic cooling options for forward looking, 101
Infrared sensor designed to measure the diffuse zodiacal light, an, 9
Infrared telescope facility, preliminary cryogenic performance of the shuttle, 69
Interferometer/radiometer, baffle design for earth radiation rejection in the cryogenic limb-scanning, 54
Interferometer spectrometer used for an artificial auroral measurement, rocket-borne cryogenic, 34
Introduction to closed cycle cryogenic coolers, an, 96

Light, an infrared sensor designed to measure the diffuse zodiacal, 9
Limb-scanning interferometer/radiometer, baffle design for earth radiation rejection in the cryogenic, 54
Limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane optimization for detector noise, 77
Long-duration cryogenic cooling with the reversed Brayton turbo-refrigerator, 120
Long-life orbital operation of Stirling cycle mechanical refrigerators, 126
Looking infrared (FLIR), cryogenic cooling options for forward, 101

Measurement, rocket-borne cryogenic interferometer spectrometer used for an artificial auroral, 34
Measurements, status of cryogenic refractive-index, 164
Multiplex spectroscopy, theoretical and practical aspects of cryogenic, 138

Noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane optimization for detector, 77

Operation at cryogenic temperatures, aspects of dynamically aligned Fourier transform spectrometer, 48
Operation of Stirling cycle mechanical refrigerators, long-life orbital, 126
Optical sensors, supercritical helium cooling of, 149
Optimal infrared detector preamplifiers, computer-aided design of, 85
Optimization for detector noise limited performance in cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane, 77
Orbital operation of Stirling cycle mechanical refrigerators, long-life, 126
Oscillation in cryogenic instrumentation, techniques for eliminating thermal-acoustical, 143

Performance in cryogenic Fourier transform spectrometer (FTS) sensors, focal-plane optimization for detector noise limited, 77
Performance of the shuttle infrared telescope facility, preliminary cryogenic, 69
Practical aspects of cryogenic-multiplex spectroscopy, theoretical and, 138
Preamplifiers, computer-aided design of optimal infrared detector, 85
Predicting the focus of cryogenically-cooled optical system, 158
Preliminary cryogenic performance of the shuttle infrared telescope facility, 69

Radiation rejection in the cryogenic limb-scanning interferometer/radiometer, baffle design for earth, 54
Radiometer, baffle design for earth radiation rejection in the cryogenic limb-scanning interferometer/, 54
Refractive-index measurements, status of cryogenic, 164
Refrigerator, the high-capacity, spaceborne, Vuilleumier, 108

Refrigerators for coolng spaceborne sensors, 112
Refrigerators, long-life orbital operation of Stirling cycle mechanical, 126
Rejection in the cryogenic limb-scanning interferometer/radiometer, baffle design for earth radiation, 54
Reversed Brayton turbo-refrigerator, long-duration cryogenic cooling with the, 120
Rocket-borne cryogenic interferometer spectrometer used for an artificial auroral measurement, 34

Sensor designed to measure the diffuse zodiacal light, an infrared, 9
Sensors, focal-plane optimization for detector noise limited performance in cryogenic Fourier transform spectrometer (FTS), 77
Sensors, refrigerators for cooling spaceborne, 112
Sensors, supercritical helium cooling of optical, 149
Shuttle infrared telescope facility, preliminary cryogenic performance of the, 69
Solid-state arrays, cryogenically cooled detector system for spectroscopic applications of, 14
South Pole, atmospheric emission spectra obtained from the equator to the, 43
Spaceborne sensors, refrigerators for cooling, 112
Spaceborne, Vuilleumier refrigerator, the high-capacity, 108
Spectra obtained from the equator to the South Pole, atmospheric emission, 43
Spectral filter, development of a cryogenic infrared acousto-optic tunable, 63
Spectrometer (FTS), detailed design considerations for an advanced cryogenic Fourier transform, 2
Spectrometer (FTS) sensors, focal-plane optimization for detector noise limited performance in cryogenic transform, 77
Spectrometer operation at cryogenic temperatures, aspects of dynamically aligned Fourier transform, 48
Spectrometer used for an artificial auroral measurement, rocket-borne cryogenic interferometer, 34
Spectroscopic applications of solid-state arrays, cryogenically cooled detector system for, 14
Spectroscopy, theoretical and practical aspects of cryogenic-multiplex, 138
Status of cryogenic refractive-index measurements, 164
Stirling cycle mechanical refrigerators, long-life orbital operation of, 126
Supercritical helium cooling of optical sensors, 149

Techniques for eliminating thermal-acoustical oscillation in cryogenic instrumentation, 143
Telescope facility, preliminary cryogenic performance of the shuttle infrared, 69
Temperatures, aspects of dynamically aligned Fourier transform spectrometer operation at cryogenic, 48
Theoretical and practical aspects of cryogenic-multiplex spectroscopy, 138
Thermal-acoustical oscillation in cryogenic instrumentation, techniques for eliminating, 143
Transform spectrometer (FTS), detailed design considerations for an advanced cryogenic Fourier, 2
Transform spectrometer (FTS) sensors, focal-plane optimization for detector noise limited performance in cryogenic Fourier, 77
Transform spectrometer operation at cryogenic temperatures, aspects of dynamically aligned Fourier, 48
Tunable spectral filter, development of a cryogenic infrared acousto-optic, 63
Turbo-refrigerator, long-duration cryogenic cooling with the reversed Brayton, 120

Vuilleumier refrigerator, the high-capacity, spaceborne, 108

Zodiacal light, an infrared sensor designed to measure the diffuse, 9